

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued October 02, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. SANDRA SOBRINO
SANAIR TECHNOLOGIES LABORATORY, INC
10501 TRADE COURT
N. CHESTERFIELD, VA 23236

NY Lab Id No: 11983

is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER

All approved analytes are listed below:

Perfluorinated Alkyl Acids

11CI-PF3OUdS	EPA 533 EPA 537.1, Version 2
4:2FTS	EPA 533
6:2FTS	EPA 533
8:2FTS	EPA 533
9CI-PF3ONS	EPA 533 EPA 537.1, Version 2
ADONA	EPA 533 EPA 537.1, Version 2
HFPO-DA (GenX)	EPA 533 EPA 537.1, Version 2
NEtFOSAA	EPA 537.1, Version 2
NFDHA	EPA 533
NMeFOSAA	EPA 537.1, Version 2
Perflourotridecanoic Acid (PFTrDA)	EPA 537.1, Version 2
Perfluorodecanoic Acid (PFDA)	EPA 533 EPA 537.1, Version 2
Perfluoro-3-Methoxypropanoic Acid (PFMPA)	EPA 533
Perfluoro-4-Methoxybutanoic Acid (PFMBA)	EPA 533
Perfluorobutanesulfonic Acid (PFBS)	EPA 533 EPA 537.1, Version 2
Perfluorobutanoic Acid (PFBA)	EPA 533
Perfluorododecanoic Acid (PFDoA)	EPA 533 EPA 537.1, Version 2
Perfluoroheptanesulfonic Acid (PFHpS)	EPA 533
Perfluoroheptanoic Acid (PFHpA)	EPA 533 EPA 537.1, Version 2

Serial No.: 73071

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued October 02, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. SANDRA SOBRINO
SANAIR TECHNOLOGIES LABORATORY, INC
10501 TRADE COURT
N. CHESTERFIELD, VA 23236

NY Lab Id No: 11983

is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER

All approved analytes are listed below:

Perfluorinated Alkyl Acids

Perfluorohexanesulfonic Acid (PFHxS)	EPA 533 EPA 537.1, Version 2
Perfluorohexanoic Acid (PFHxA)	EPA 533 EPA 537.1, Version 2
Perfluorononanoic Acid (PFNA)	EPA 533 EPA 537.1, Version 2
Perfluorooctanesulfonic Acid (PFOS)	EPA 533 EPA 537.1, Version 2
Perfluorooctanoic Acid (PFOA)	EPA 533 EPA 537.1, Version 2
Perfluoropentanesulfonic Acid (PFPeS)	EPA 533
Perfluoropentanoic Acid (PFPeA)	EPA 533
Perfluorotetradecanoic Acid (PFTeDA)	EPA 537.1, Version 2
Perfluoroundecanoic Acid (PFUnA)	EPA 533 EPA 537.1, Version 2
PFEESA	EPA 533

Serial No.: 73071

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. SANDRA SOBRINO
SANAIIR TECHNOLOGIES LABORATORY, INC
10501 TRADE COURT
N. CHESTERFIELD, VA 23236

NY Lab Id No: 11983

is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS
All approved subcategories and/or analytes are listed below:

Miscellaneous

Asbestos	40 CFR 763 APX A No. III
	NIOSH 7402
Fibers	NIOSH 7400 A RULES

Serial No.: 72347

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. SANDRA SOBRINO
SANAIIR TECHNOLOGIES LABORATORY, INC
10501 TRADE COURT
N. CHESTERFIELD, VA 23236

NY Lab Id No: 11983

is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved subcategories and/or analytes are listed below:

Miscellaneous

Asbestos in Friable Material	Item 198.1 of Manual EPA 600/M4/82/020
Asbestos in Non-Friable Material-PLM	Item 198.6 of Manual (NOB by PLM)
Asbestos in Non-Friable Material-TEM	Item 198.4 of Manual
Lead in Dust Wipes	EPA 6010C EPA 7000B
Lead in Paint	EPA 6010C EPA 7000B

Sample Preparation Methods

EPA 3050B

Serial No.: 72346

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. SANDRA SOBRINO
SANAIK TECHNOLOGIES LABORATORY, INC
10501 TRADE COURT
N. CHESTERFIELD, VA 23236

NY Lab Id No: 11983

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Characteristic Testing

TCLP EPA 1311

Metals I

Barium, Total EPA 6010C
Cadmium, Total EPA 6010C
Chromium, Total EPA 6010C
Lead, Total EPA 6010C
Silver, Total EPA 6010C

Metals II

Arsenic, Total EPA 6010C
Mercury, Total EPA 7471B
Selenium, Total EPA 6010C

Sample Preparation Methods

EPA 3050B

Serial No.: 72345

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. SANDRA SOBRINO
SANAIIR TECHNOLOGIES LABORATORY, INC
10501 TRADE COURT
N. CHESTERFIELD, VA 23236

NY Lab Id No: 11983

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Metals I

Barium, Total	EPA 6010C
Cadmium, Total	EPA 6010C
Chromium, Total	EPA 6010C
Lead, Total	EPA 6010C
Silver, Total	EPA 6010C

Metals II

Arsenic, Total	EPA 6010C
Mercury, Total	EPA 7470A
Selenium, Total	EPA 6010C

Serial No.: 72343

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. SANDRA SOBRINO
SANAIR TECHNOLOGIES LABORATORY, INC
10501 TRADE COURT
N. CHESTERFIELD, VA 23236

NY Lab Id No: 11983

is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved subcategories and/or analytes are listed below:

Bacteriology

Legionella

ISO 11731:2017(E)

Serial No.: 72344

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued April 01, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. SANDRA SOBRINO
SANAIR TECHNOLOGIES LABORATORY, INC
10501 TRADE COURT
N. CHESTERFIELD, VA 23236

NY Lab Id No: 11983

is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved subcategories and/or analytes are listed below:

Bacteriology

Legionella

ISO 11731:2017(E)

Serial No.: 72342

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wcelappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.